







2,5 mm	75×2,5	30.000	100	2 ÷ 16	80 N / 8 kg	<input type="radio"/>	SEL.2.201
						<input checked="" type="radio"/>	SEL.3.201
		5.000	100	2 ÷ 16	80 N / 8 kg	<input type="radio"/>	SEL.2.201R
						<input checked="" type="radio"/>	SEL.3.201R
		60.000	1.000	2 ÷ 16	80 N / 8 kg	<input type="radio"/>	SEL.2.301
						<input checked="" type="radio"/>	SEL.3.301
	100×2,5	30.000	100	2 ÷ 24	80 N / 8 kg	<input type="radio"/>	SEL.2.202
						<input checked="" type="radio"/>	SEL.3.202
		5.000	100	2 ÷ 24	80 N / 8 kg	<input type="radio"/>	SEL.2.202R
						<input checked="" type="radio"/>	SEL.3.202R
		50.000	1.000	2 ÷ 24	80 N / 8 kg	<input type="radio"/>	SEL.2.302
						<input checked="" type="radio"/>	SEL.3.302
	135×2,5	25.000	100	2 ÷ 35	80 N / 8 kg	<input type="radio"/>	SEL.2.203
						<input checked="" type="radio"/>	SEL.3.203
		5.000	100	2 ÷ 35	80 N / 8 kg	<input type="radio"/>	SEL.2.203R
						<input checked="" type="radio"/>	SEL.3.203R
		40.000	1.000	2 ÷ 35	80 N / 8 kg	<input type="radio"/>	SEL.2.303
						<input checked="" type="radio"/>	SEL.3.303
	160×2,5	20.000	100	2 ÷ 42	80 N / 8 kg	<input type="radio"/>	SEL.2.204
						<input checked="" type="radio"/>	SEL.3.204
		5.000	100	2 ÷ 42	80 N / 8 kg	<input type="radio"/>	SEL.2.204R
						<input checked="" type="radio"/>	SEL.3.204R
		40.000	1.000	2 ÷ 42	80 N / 8 kg	<input type="radio"/>	SEL.2.304
						<input checked="" type="radio"/>	SEL.3.304
200×2,5	20.000	100	2 ÷ 55	80 N / 8 kg	<input type="radio"/>	SEL.2.205	
					<input checked="" type="radio"/>	SEL.3.205	
	5.000	100	2 ÷ 55	80 N / 8 kg	<input type="radio"/>	SEL.2.205R	
					<input checked="" type="radio"/>	SEL.3.205R	
	30.000	1.000	2 ÷ 55	80 N / 8 kg	<input type="radio"/>	SEL.2.305	
					<input checked="" type="radio"/>	SEL.3.305	
3,5 mm	140×3,5	20.000	100	2,5 ÷ 36	150 N / 15 kg	<input type="radio"/>	SEL.2.210
						<input checked="" type="radio"/>	SEL.3.210
		5.000	100	2,5 ÷ 36	150 N / 15 kg	<input type="radio"/>	SEL.2.210R
						<input checked="" type="radio"/>	SEL.3.210R
		30.000	1.000	2,5 ÷ 36	150 N / 15 kg	<input type="radio"/>	SEL.2.310
						<input checked="" type="radio"/>	SEL.3.310

 mm			 mm	 N/kg		
200×3,5	12.000	100	2,5 ÷ 55	150 N / 15 kg	<input type="radio"/>	SEL.2.211
					<input checked="" type="radio"/>	SEL.3.211
	5.000	100	2,5 ÷ 55	150 N / 15 kg	<input type="radio"/>	SEL.2.211R
					<input checked="" type="radio"/>	SEL.3.211R
	20.000	1.000	2,5 ÷ 55	150 N / 15 kg	<input type="radio"/>	SEL.2.311
					<input checked="" type="radio"/>	SEL.3.311
225×3,5	12.000	100	3 ÷ 65	150 N / 15 kg	<input type="radio"/>	SEL.2.215
					<input checked="" type="radio"/>	SEL.3.215
	5.000	100	3 ÷ 65	150 N / 15 kg	<input type="radio"/>	SEL.2.215R
					<input checked="" type="radio"/>	SEL.3.215R
250×3,5	13.000	100	3 ÷ 70	150 N / 15 kg	<input type="radio"/>	SEL.2.216
					<input checked="" type="radio"/>	SEL.3.216
	5.000	100	3 ÷ 70	150 N / 15 kg	<input type="radio"/>	SEL.2.216R
					<input checked="" type="radio"/>	SEL.3.216R
280×3,5	13.000	100	2,5 ÷ 80	150 N / 15 kg	<input type="radio"/>	SEL.2.212
					<input checked="" type="radio"/>	SEL.3.212
	5.000	100	2,5 ÷ 80	150 N / 15 kg	<input type="radio"/>	SEL.2.212R
					<input checked="" type="radio"/>	SEL.3.212R
360×3,5	8.000	100	5 ÷ 103	150 N / 15 kg	<input type="radio"/>	SEL.2.214
					<input checked="" type="radio"/>	SEL.3.214
	4.000	100	5 ÷ 103	150 N / 15 kg	<input type="radio"/>	SEL.2.214R
					<input checked="" type="radio"/>	SEL.3.214R

4,5 mm

140×4,5	10.000	100	2,5 ÷ 33	220 N / 22 kg	<input type="radio"/>	SEL.2.220
					<input checked="" type="radio"/>	SEL.3.220
	5.000	100	2,5 ÷ 33	220 N / 22 kg	<input type="radio"/>	SEL.2.220R
					<input checked="" type="radio"/>	SEL.3.220R
	20.000	1.000	2,5 ÷ 33	220 N / 22 kg	<input type="radio"/>	SEL.2.320
					<input checked="" type="radio"/>	SEL.3.320
160×4,5	10.000	100	2,5 ÷ 38	220 N / 22 kg	<input type="radio"/>	SEL.2.221
					<input checked="" type="radio"/>	SEL.3.221
	5.000	100	2,5 ÷ 38	220 N / 22 kg	<input type="radio"/>	SEL.2.221R
					<input checked="" type="radio"/>	SEL.3.221R
	20.000	1.000	2,5 ÷ 38	220 N / 22 kg	<input type="radio"/>	SEL.2.321
					<input checked="" type="radio"/>	SEL.3.321
180×4,5	10.000	100	3 ÷ 45	220 N / 22 kg	<input type="radio"/>	SEL.2.222
					<input checked="" type="radio"/>	SEL.3.222
	5.000	100	3 ÷ 45	220 N / 22 kg	<input type="radio"/>	SEL.2.222R
					<input checked="" type="radio"/>	SEL.3.222R
	15.000	1.000	3 ÷ 45	220 N / 22 kg	<input type="radio"/>	SEL.2.322
					<input checked="" type="radio"/>	SEL.3.322

 mm			 mm	 N/kg			
200×4,5	10.000	100	3 ÷ 51	220 N / 22 kg	<input type="radio"/>	SEL.2.223	
					<input checked="" type="radio"/>	SEL.3.223	
	5.000	100	3 ÷ 51	220 N / 22 kg	<input type="radio"/>	SEL.2.223R	
					<input checked="" type="radio"/>	SEL.3.223R	
	10.000	1.000	3 ÷ 51	220 N / 22 kg	<input type="radio"/>	SEL.2.323	
					<input checked="" type="radio"/>	SEL.3.323	
250×4,5	10.000	100	5 ÷ 68	220 N / 22 kg	<input type="radio"/>	SEL.2.224	
					<input checked="" type="radio"/>	SEL.3.224	
	5.000	100	5 ÷ 68	220 N / 22 kg	<input type="radio"/>	SEL.2.224R	
					<input checked="" type="radio"/>	SEL.3.224R	
280×4,5	10.000	100	5 ÷ 76	220 N / 22 kg	<input type="radio"/>	SEL.2.425	
					<input checked="" type="radio"/>	SEL.3.425	
	5.000	100	5 ÷ 76	220 N / 22 kg	<input type="radio"/>	SEL.2.425R	
					<input checked="" type="radio"/>	SEL.3.425R	
300×4,5	8.000	100	5 ÷ 80	220 N / 22 kg	<input type="radio"/>	SEL.2.429	
					<input checked="" type="radio"/>	SEL.3.429	
	4.000	100	5 ÷ 80	220 N / 22 kg	<input type="radio"/>	SEL.2.429R	
					<input checked="" type="radio"/>	SEL.3.429R	
360×4,5	8.000	100	5 ÷ 101	220 N / 22 kg	<input type="radio"/>	SEL.2.426	
					<input checked="" type="radio"/>	SEL.3.426	
	4.000	100	5 ÷ 101	220 N / 22 kg	<input type="radio"/>	SEL.2.426R	
					<input checked="" type="radio"/>	SEL.3.426R	
380×4,5	7.000	100	5 ÷ 110	220 N / 22 kg	<input type="radio"/>	SEL.2.427	
					<input checked="" type="radio"/>	SEL.3.427	
	3.500	100	5 ÷ 110	220 N / 22 kg	<input type="radio"/>	SEL.2.427R	
					<input checked="" type="radio"/>	SEL.3.427R	
430×4,5	5.000	100	5 ÷ 123	220 N / 22 kg	<input type="radio"/>	SEL.2.428	
					<input checked="" type="radio"/>	SEL.3.428	
	2.500	100	5 ÷ 123	220 N / 22 kg	<input type="radio"/>	SEL.2.428R	
					<input checked="" type="radio"/>	SEL.3.428R	
6 mm	360×6	3.000	100	5 ÷ 101	400 N / 40 kg	<input type="radio"/>	SEL.2.447
						<input checked="" type="radio"/>	SEL.3.447
		1.500	100	5 ÷ 101	400 N / 40 kg	<input type="radio"/>	SEL.2.447R
						<input checked="" type="radio"/>	SEL.3.447R
7,5 mm	180×7,5	5.000	100	5 ÷ 44	460 N / 46 kg	<input type="radio"/>	SEL.2.430
						<input checked="" type="radio"/>	SEL.3.430
		2.500	100	5 ÷ 44	460 N / 46 kg	<input type="radio"/>	SEL.2.430R
						<input checked="" type="radio"/>	SEL.3.430R

							
200×7,5	5.000	100	5 ÷ 48	460 N / 46 kg	<input type="radio"/>	SEL.2.432	
					<input checked="" type="radio"/>	SEL.3.432	
	2.500	100	5 ÷ 48	460 N / 46 kg	<input type="radio"/>	SEL.2.432R	
					<input checked="" type="radio"/>	SEL.3.432R	
240×7,5	4.000	100	5 ÷ 62	460 N / 46 kg	<input type="radio"/>	SEL.2.431	
					<input checked="" type="radio"/>	SEL.3.431	
	2.000	100	5 ÷ 62	460 N / 46 kg	<input type="radio"/>	SEL.2.431R	
					<input checked="" type="radio"/>	SEL.3.431R	
280×7,5	4.000	100	5 ÷ 76	460 N / 46 kg	<input type="radio"/>	SEL.2.433	
					<input checked="" type="radio"/>	SEL.3.433	
	2.000	100	5 ÷ 76	460 N / 46 kg	<input type="radio"/>	SEL.2.433R	
					<input checked="" type="radio"/>	SEL.3.433R	
320×7,5	3.000	100	5 ÷ 88	460 N / 46 kg	<input type="radio"/>	SEL.2.438	
					<input checked="" type="radio"/>	SEL.3.438	
	1.500	100	5 ÷ 88	460 N / 46 kg	<input type="radio"/>	SEL.2.438R	
					<input checked="" type="radio"/>	SEL.3.438R	
360×7,5	3.000	100	5 ÷ 101	460 N / 46 kg	<input type="radio"/>	SEL.2.434	
					<input checked="" type="radio"/>	SEL.3.434	
	1.500	100	5 ÷ 101	460 N / 46 kg	<input type="radio"/>	SEL.2.434R	
					<input checked="" type="radio"/>	SEL.3.434R	
450×7,5	2.500	100	20 ÷ 130	460 N / 46 kg	<input type="radio"/>	SEL.2.435	
					<input checked="" type="radio"/>	SEL.3.435	
	1.000	100	20 ÷ 130	460 N / 46 kg	<input type="radio"/>	SEL.2.435R	
					<input checked="" type="radio"/>	SEL.3.435R	
500×7,5	2.500	100	20 ÷ 145	460 N / 46 kg	<input type="radio"/>	SEL.2.436	
					<input checked="" type="radio"/>	SEL.3.436	
	1.000	100	20 ÷ 145	460 N / 46 kg	<input type="radio"/>	SEL.2.436R	
					<input checked="" type="radio"/>	SEL.3.436R	
540×7,5	2.500	100	20 ÷ 160	460 N / 46 kg	<input type="radio"/>	SEL.2.437	
					<input checked="" type="radio"/>	SEL.3.437	
	1.000	100	20 ÷ 160	460 N / 46 kg	<input type="radio"/>	SEL.2.437R	
					<input checked="" type="radio"/>	SEL.3.437R	
750×7,5	1.500	100	32 ÷ 222	460 N / 46 kg	<input type="radio"/>	SEL.2.441	
					<input checked="" type="radio"/>	SEL.3.441	
	700	100	32 ÷ 222	460 N / 46 kg	<input type="radio"/>	SEL.2.441R	
					<input checked="" type="radio"/>	SEL.3.441R	
9 mm	430×9	2.000	100	20 ÷ 118	680 N / 68 kg	<input type="radio"/>	SEL.2.144
<input checked="" type="radio"/>						SEL.3.144	
1.000		100	20 ÷ 118	680 N / 68 kg	<input type="radio"/>	SEL.2.144R	
					<input checked="" type="radio"/>	SEL.3.144R	

						
550×9	1.500	100	20 ÷ 160	680 N / 68 kg	<input type="radio"/>	SEL.2.142
					<input checked="" type="radio"/>	SEL.3.142
	700	100	20 ÷ 160	680 N / 68 kg	<input type="radio"/>	SEL.2.142R
					<input checked="" type="radio"/>	SEL.3.142R
780×9	1.000	100	20 ÷ 235	680 N / 68 kg	<input type="radio"/>	SEL.2.143
					<input checked="" type="radio"/>	SEL.3.143
	500	100	20 ÷ 235	680 N / 68 kg	<input type="radio"/>	SEL.2.143R
					<input checked="" type="radio"/>	SEL.3.143R
920×9	1.000	100	40 ÷ 280	680 N / 68 kg	<input type="radio"/>	SEL.2.154
					<input checked="" type="radio"/>	SEL.3.154
	500	100	40 ÷ 280	680 N / 68 kg	<input type="radio"/>	SEL.2.154R
					<input checked="" type="radio"/>	SEL.3.154R
1220×9	1.000	100	40 ÷ 375	680 N / 68 kg	<input type="radio"/>	SEL.2.155
					<input checked="" type="radio"/>	SEL.3.155
	500	100	40 ÷ 375	680 N / 68 kg	<input type="radio"/>	SEL.2.155R
					<input checked="" type="radio"/>	SEL.3.155R
1330×9	500	100	40 ÷ 409	680 N / 68 kg	<input type="radio"/>	SEL.2.156
					<input checked="" type="radio"/>	SEL.3.156

12,5 mm

500×12,5	1.000	50	10 ÷ 140	980 N / 98 kg	<input type="radio"/>	SEL.2.451
					<input checked="" type="radio"/>	SEL.3.451
	500	50	10 ÷ 140	980 N / 98 kg	<input type="radio"/>	SEL.2.451R
					<input checked="" type="radio"/>	SEL.3.451R
750×12,5	1.000	50	40 ÷ 222	980 N / 98 kg	<input type="radio"/>	SEL.2.452
					<input checked="" type="radio"/>	SEL.3.452
	500	50	40 ÷ 222	980 N / 98 kg	<input type="radio"/>	SEL.2.452R
					<input checked="" type="radio"/>	SEL.3.452R
1000×12,5	1.000	50	40 ÷ 300	980 N / 98 kg	<input type="radio"/>	SEL.2.453
					<input checked="" type="radio"/>	SEL.3.453
	500	50	40 ÷ 300	980 N / 98 kg	<input type="radio"/>	SEL.2.453R
					<input checked="" type="radio"/>	SEL.3.453R