

# XY2CZ3015

Telemecanique Emergency stop rope pull switches XY2C, red galvanised cable, Ø 3.2 mm, L 15.5 m, for XY2C



## Main

Range of product	Telemecanique Emergency stop rope pull switches XY2C
Accessory / separate part categor	Separate parts
Accessory / separate part type	Galvanised cable
Product compatibility	XY2CH XY2CB XY2CJ
Accessory / separate part destination	Emergency stop rope pull switch Rope pull switch
Cable outer diameter	3.2 mm
Cable length	15.5 m

## Complementary

Net weight	0.41 kg
------------	---------

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.4 cm
Package 1 Width	18.9 cm
Package 1 Length	20.0 cm
Package 1 Weight	528.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	9
Package 2 Height	15 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	5.146 kg

## Offer Sustainability

Sustainable offer status	Green Premium product
Circularity Profile	No need of specific recycling operations
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
For all Reach Rohs enquiries contact us at	<a href="mailto:sustainability@tesensors.com">sustainability@tesensors.com</a>

## Contractual warranty

Warranty	18 months
----------	-----------

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither TWSS Holding nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.