ZC2JY81

Limit switch lever, Limit switches XC Special, ZC2JY, spring with thermoplastic end, -40...70 ŰC



Main Range of product OsiSense XC Series name Special format Limit switch lever Product or component type Device short name ZC2J Product compatibility XC2J ZC2JE02 Associated head ZC2JE05 ZC2JE06 ZC2JE03 ZC2JE04 ZC2JE07 ZC2JE01 Movement of operating Rotary Type of operator Spring rod lever spring return (with thermoplastic Type of approach Lateral approach

Complementary

Switch actuation	By any moving part
Positive opening	Without

Environment

Ambient air temperature for operation	-2570 °C for standard environment -4070 °C for low temperature
Ambient air temperature for storage	-4070 °C standard environment -4070 °C low temperature
Environmental characteristic	Low temperature Standard environment

Packing Units

PCE
1
1.500 cm
8.000 cm
14.000 cm
41.000 g
S01
65
15.000 cm
15.000 cm
40.000 cm
2.798 kg

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the documentation is not integrated to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither TMSS Holding nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

Offer Sustainability

Sustainable offer status	Green Premium product
Circularity Profile	No need of specific recycling operations
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
For all Reach Rohs enquiries contact us at	sustainability@tesensors.com

Contractual warranty

Warrantv	18 months
vvarranty	10 HORUS

